

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS : Keith, et al.
SERIAL NUMBER : 09/920,532 EXAMINER : Jiang, Dong
FILING DATE : August 1, 2001 ART UNIT : 1646
FOR : Use of Interleukin-11 to Treat Gastrointestinal Disorders

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

In view of the Examiner's statement in the March 27, 2003 Office Action that copies of references submitted in Paper 2 are not present in the file, Applicants resubmit copies of references submitted in Paper 2. No fee is believed due. However, in the event this is incorrect, the Commissioner is authorized to charge any fee due, or credit any overpayment of same, to Deposit Account No. 50-0311 (Reference No. 22058-513 CON).


Respectfully submitted,

Date: August 27, 2003

Ivor R. Elrifil, Registration No. 39,529
David E. Johnson, Registration No. 41,874
Attorneys for the Applicant
MINTZ, LEVIN, COHN, FERRIS,
GLOVSKY and POPEO, P.C.
Tel: (617) 542-6000
Fax: (617) 542-2241
Customer No. 30623

Express Mail No. EV 328184143US

Date of Deposit: August 27, 2003

RECEIVED
SEP 02 2003
TECHNICAL CENTER

Modified Form 1449/PTO	Application Number	09/920,532
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Filing Date	August 1, 2001
	First Named Inventor	Keith
	Group Art Unit	1646
	Examiner Name	Not Assigned Yet
	Attorney Docket Number	22058-513-CON

(use as many sheets as necessary)

U.S. PATENT DOCUMENTS

Exam Initials	Cite No.	U.S. Patent Document No.	Issue Date	Name of Patentee(s) or Applicant(s)	Class	Sub Class	Filing Date If Appropriate

FOREIGN PATENT DOCUMENTS

Exam Initials	Cite No.	Foreign Patent Document Office Number	Name of Patentee(s) or Applicant(s)	Date of Publication	Translation Yes No
	B1	WO 92/04455	Genetics Institute, Inc.	03/19/1992	

OTHER NON PATENT LITERATURE DOCUMENTS

Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
	C1	Siadati and Sarr.(1998). Role of extrinsic innervation in release of motilin and patterns of upper gut canine motility. <i>J. Gastrointest. Sur.</i> 2(4): 363-72.
	C2	Luiking, et al.(1998). Motilin induces gall bladder emptying and antral contractions in the fasted state in humans. <i>Gut</i> 42(6): 830-5.
	C3	Depoortere, et al. (1997). Distribution and subcellular localization of motilin binding sites in the rabbit brain. <i>Brain Res.</i> 777(1-2):103-9.
	C4	Van Assche, et al. (1997). Concentration-dependent stimulation of cholinergic motor nerves or smooth muscle by [Nle13]motilin in the isolated rabbit gastric antrum. <i>Eur. J. Pharmacol.</i> 337(2-3): 267-74.
	C5	Tomita, et al. (1997). The role of motilin and cisapride in the enteric nervous system of the lower esophageal sphincter in humans. <i>Surg. Today.</i> 27(11): 985-92.
	C6	Boivin, et al. (1997). Neural mediation of the motilin motor effect on the human antrum. <i>Am. J. Physiol.</i> 272(1 Pt 1): G71-6.
	C7	Yokoyama, et al. (1995). Recovery of gastrointestinal motility from post-operative ileus in dogs: effects of Leu13-motilin (KW-5139) and prostaglandin F2 alpha. <i>Neurogastroenterol. Motil.</i> 7(4): 199-210.
	C8	De Clercq, et al. (1998). Motilin in human milk: identification and stability during digestion. <i>Life Sci.</i> 63(22): 1993-2000.
	C9	Ordaz-Jimenez, et al. (1998). [Gastrointestinal hormones during minimal enteral feeding of sick premature infants] <i>Rev. Invest. Clin.</i> 50(1): 37-42. (Spanish w/ English abstract).
	C10	Jadcherla, et al. (1997). Regulation of migrating motor complexes by motilin and pancreatic polypeptide in human infants. <i>Pediatr. Res.</i> 42(3): 365-9.
	C11	Omura, et al. (1987). Macrolides with gastrointestinal motor stimulating activity. <i>J Med Chem.</i> 30(11): 1941-3.
	C12	Weich, et al (1997). Recombinant human interleukin-11 directly promotes megakaryocytopoiesis in vitro. <i>Blood</i> 90(10): 3893-902.
	C13	Orazi, et al. (1996). Effects of recombinant human interleukin-11 (Neumega rhIL-11 growth factor) on megakaryocytopoiesis in human bone marrow. <i>Exp. Hematol.</i> 24(11): 1289-97.
	C14	Du, et al. (1997). Protective effects of interleukin-11 in a murine model of ischemic bowel necrosis. <i>Am. J. Physiol.</i> 272(3 Pt 1): G545-52.
	C15	Orazi, et al. (1996). Interleukin-11 prevents apoptosis and accelerates recovery of small intestinal mucosa in




RECEIVED

SEP 02 2003

TECHNICAL UNIT 1630/2900

OTHER NON PATENT LITERATURE DOCUMENTS

Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
		mice treated with combined chemotherapy and radiation. <i>Lab. Invest.</i> <u>75</u> (1): 33-42.
	C16	Keith, et al. (1994). "IL-11, a pleiotropic cytokine: exciting new effects of IL-11 on gastrointestinal mucosal biology." <i>Stem Cells.</i> <u>12</u> (Suppl 1):79-90.
	C17	Qiu, et al.. (1996). Protection by recombinant human interleukin-11 against experimental TNB-induced colitis in rats. <i>Dig. Dis. Sci.</i> <u>41</u> (8): 1625-30.
	C18	Hill, et al. (1998). Interleukin-11 promotes T cell polarization and prevents acute graft-versus-host disease after allogeneic bone marrow transplantation. <i>J. Clin. Invest.</i> <u>102</u> (1): 115-23.
	C19	Redlich, et al. (1996). IL-11 enhances survival and decreases TNF production after radiation-induced thoracic injury. <i>J. Immunol.</i> <u>157</u> (4): 1705-10.
	C20	Waxman , et al. (1998). Targeted lung expression of interleukin-11 enhances murine tolerance of 100% oxygen and diminishes hyperoxia-induced DNA fragmentation. <i>J Clin Invest.</i> <u>101</u> (9):1970-82.
	C21	Leng and Elias (1997). Interleukin-11 inhibits macrophage interleukin-12 production. <i>J. Immunol.</i> <u>159</u> (5): 2161-8.
	C22	Trepicchio, et al. (1997). IL-11 regulates macrophage effector function through the inhibition of nuclear factor-kappaB. <i>J. Immunol.</i> <u>159</u> (11): 5661-70.
	C23	Trepicchio, et al. (1996). Recombinant human IL-11 attenuates the inflammatory response through down-regulation of proinflammatory cytokine release and nitric oxide production. <i>J. Immunol.</i> <u>157</u> (8): 3627-34.
	C24	Taga and Kishimoto (1997). Gp130 and the interleukin-6 family of cytokines. <i>Annu. Rev. Immunol.</i> <u>15</u> :797-819.
	C25	Zhang, et al. (1994). Ciliary neurotropic factor, interleukin 11, leukemia inhibitory factor, and oncostatin M are growth factors for human myeloma cell lines using the interleukin 6 signal transducer gp130. <i>J. Exp. Med.</i> <u>179</u> (4):1337-42.
	C26	Yang and Yin. (1995). Interleukin (IL)-11--mediated signal transduction. <i>Ann. NY Acad. Sci.</i> <u>762</u> : 31-41.
	C27	Nandurkar, et al. (1996). The human IL-11 receptor requires gp130 for signalling: demonstration by molecular cloning of the receptor. <i>Oncogene.</i> <u>12</u> (3):585-93.
	C28	Miyatake, et al. (1998). Complement-fixing elicited antibodies are a major component in the pathogenesis of xenograft rejection. <i>J. Immunol.</i> <u>160</u> (8): 4114-23
	C29	Yin, et al. (1994). Identification of a 130-kilodalton tyrosine-phosphorylated protein induced by interleukin-11 as JAK2 tyrosine kinase, which associates with gp130 signal transducer. <i>Exp. Hematol.</i> <u>22</u> (5): 467-72.
	C30	Wang, et al. (1995). Interleukin-11 induces complex formation of Grb2, Fyn, and JAK2 in 3T3L1 cells. <i>J. Biol. Chem.</i> <u>270</u> (47): 27999-8002.
	C31	Lutticken, et al. (1994). Association of transcription factor APRF and protein kinase Jak1 with the interleukin-6 signal transducer gp130. <i>Science</i> <u>263</u> (5143): 89-92.
	C32	Hemmann, et al. (1996). Differential activation of acute phase response factor/Stat3 and Stat1 via the cytoplasmic domain of the interleukin 6 signal transducer gp130. <i>J. Biol. Chem.</i> <u>271</u> (22): 12999-3007.
	C33	Zhong, et al. (1994). Stat3: a STAT family member activated by tyrosine phosphorylation in response to epidermal growth factor and interleukin-6. <i>Science.</i> <u>264</u> (5155): 95-8
	C34	Akira (1997). IL-6-regulated transcription factors. <i>Int. J. Biochem. Cell Biol.</i> <u>29</u> (12):1401-18.
	C35	Zhang, et al. (1995). Requirement of serine phosphorylation for formation of STAT-promoter complexes. <i>Science</i> <u>267</u> (5206): 1990-4.
	C36	Boulton, et al. (1995). STAT3 activation by cytokines utilizing gp130 and related transducers involves a secondary modification requiring an H7-sensitive kinase. <i>Proc. Natl. Acad. Sci. USA.</i> <u>92</u> (15): 6915-9.
	C37	Adunyah, et al. (1995). Interleukin-11 induces tyrosine phosphorylation, and c-jun and c-fos mRNA expression in human K562 and U937 cells. <i>Ann. NY Acad. Sci.</i> <u>766</u> : 296-9.
	C38	Yin and Yang (1994). Mitogen-activated protein kinases and ribosomal S6 protein kinases are involved in signaling pathways shared by interleukin-11, interleukin-6, leukemia inhibitory factor, and oncostatin M in mouse 3T3-L1 cells. <i>J. Biol.Chem.</i> <u>269</u> (5): 3731-8.




RECEIVED

SEP 02 2003

TECH CENTER 1000/2000

OTHER NON PATENT LITERATURE DOCUMENTS

Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
	C39	Paul, et al. (1990). Molecular cloning of a cDNA encoding interleukin 11, a stromal cell-derived lymphopoietic and hematopoietic cytokine. <i>Proc. Natl. Acad. Sci. USA.</i> <u>87</u> (19):7512-6.
	C40	Balkwill and Burke (1989). The cytokine network. <i>Immunol Today</i> <u>10</u> (9): 299-304.
	C41	Wong and Clark (1988). Multiple actions of interleukin 6 within a cytokine network. <i>Immunol. Today.</i> (5): 137-9.
	C42	Clark and Kamen (1987). The human hematopoietic colony-stimulating factors. <i>Science</i> <u>236</u> (4806): 1229-37.
	C43	Jacobs, et al. (1970). Characteristics of a human diploid cell designated MRC-5. <i>Nature</i> <u>227</u> (254): 168-70.
	C44	Opal, et al. (1999). <i>Blood</i> <u>93</u> (10): 3467-72.
	C45	Ikebuchi, et al. (1988). Synergistic factors for stem cell proliferation: further studies of the target stem cells and the mechanism of stimulation by interleukin-1, interleukin-6, and granulocyte colony-stimulating factor. <i>Blood</i> <u>72</u> (6): 2007-14.
	C46	Bruno, et al. (1991). Effects of recombinant interleukin 11 on human megakaryocyte progenitor cells. <i>Exp. Hematol.</i> <u>19</u> (5): 378-81.
	C47	Du and Williams (1994). Interleukin-11: a multifunctional growth factor derived from the hematopoietic microenvironment. <i>Blood.</i> <u>83</u> (8): 2023-30.
	C48	Yin, et al. (1992). Enhancement of in vitro and in vivo antigen-specific antibody responses by interleukin 11. <i>J. Exp. Med.</i> <u>175</u> (1): 211-6.
	C49	Barton, et al. (1996). Interleukins 6 and 11 protect mice from mortality in a staphylococcal enterotoxin-induced toxic shock model. <i>Infect. Immun.</i> <u>64</u> (3):714-8.
	C50	Castagliuolo, et al. (1997). IL-11 inhibits Clostridium difficile toxin A enterotoxicity in rat ileum. <i>Am. J. Physiol.</i> <u>273</u> (2 Pt 1): G333-41.
	C51	Liu, et al. (1996). Trophic effects of interleukin-11 in rats with experimental short bowel syndrome. <i>J. Pediatr. Surg.</i> <u>31</u> (8): 1047-51.
	C52	Fiore, et al. (1998). Comparison of interleukin-11 and epidermal growth factor on residual small intestine after massive small bowel resection. <i>J. Pediatr. Surg.</i> <u>33</u> (1): 24-9.
	C53	Schindel, et al. (1997). Interleukin-11 improves survival and reduces bacterial translocation and bone marrow suppression in burned mice. <i>J. Pediatr. Surg.</i> <u>32</u> (2): 312-5.
	C54	Musashi, et al. (1991). Synergistic interactions between interleukin-11 and interleukin-4 in support of proliferation of primitive hematopoietic progenitors of mice. <i>Blood.</i> <u>78</u> (6): 1448-51.
	C55	Burstein, et al. (1992). Leukemia inhibitory factor and interleukin-11 promote maturation of murine and human megakaryocytes in vitro. <i>J. Cell. Physiol.</i> <u>153</u> (2): 305-12.
	C56	Baumann and Schendel. (1991). Interleukin-11 regulates the hepatic expression of the same plasma protein genes as interleukin-6. <i>J. Biol. Chem.</i> <u>266</u> (30): 20424-7.
	C57	Kawashima, et al. (1991). Molecular cloning of cDNA encoding adipogenesis inhibitory factor and identity with interleukin-11. <i>FEBS Lett.</i> <u>283</u> (2): 199-202.
	C58	Fann and Patterson. (1994). Neuropoietic cytokines and activin A differentially regulate the phenotype of cultured sympathetic neurons. <i>Proc. Natl. Acad. Sci. USA.</i> <u>91</u> (1): 43-7.
	C59	Yin, et al. (1993). Involvement of IL-6 signal transducer gp130 in IL-11-mediated signal transduction. <i>J. Immunol.</i> <u>151</u> (5): 2555-61.
	C60	Hibi, et al. (1990). Molecular cloning and expression of an IL-6 signal transducer, gp130. <i>Cell</i> <u>63</u> (6): 1149-57.
	C61	Toyota (1998). <i>J. Smooth Musc. Res.</i> <u>34</u> : 13-22.
	C62	Omura, et al. (1985). Gastrointestinal motor-stimulating activity of macrolide antibiotics and the structure-activity relationship. <i>J. Antibiot. (Tokyo)</i> <u>38</u> (11): 1631-2.
	C63	Depoortere, et al. (2001). <i>Reg. Peptides</i> <u>97</u> : 111-9.
	C64	Depoortere, et al. (2000). <i>J. Pharmacol Exp. Therapeutics</i> <u>294</u> (3): 983-90.

RECEIVED
SEP 02 2003

TECH CENTER 1803/2003

OTHER NON PATENT LITERATURE DOCUMENTS

Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
	C65	Depoortere, et al. (1998). <i>Am. Gastroenterology Soc.</i> (New Orleans, LA, May 16-22, 1998). (Abstract Only)
	C66	Opal, et al. (1998). Recombinant human interleukin-11 in experimental <i>Pseudomonas aeruginosa</i> sepsis in immunocompromised animals. <i>J. Infect. Dis.</i> <u>178</u> (4) : 1205-8.
	C67	Girasole, et al. (1994). Interleukin-11: a new cytokine critical for osteoclast development. <i>J. Clin. Invest.</i> <u>93</u> (4):1516-24.
	C68	Keith, et al. (1995). <i>Gastroenterology</i> <u>108</u> (4): A846. (Abstract Only)
	C69	Keith, et al. (1994). <i>Gastroenterology</i> <u>106</u> (4 part 2): A708. (Abstract Only).
	C70	Opal, et al. (1995). <i>Blood</i> <u>86</u> (10): 498A. (Abstract Only).
	C71	Sonis, et al. (1995). Alteration in the frequency, severity and duration of chemotherapy-induced mucositis in hamsters by interleukin-11. <i>Eur. J. Cancer B. Oral Oncol.</i> <u>31B</u> (4): 263-6.
	C72	Leonard, et al. (1995). Prevention of experimental autoimmune encephalomyelitis by antibodies against interleukin 12. <i>J. Exp. Med.</i> <u>181</u> (1): 381-6.
	C73	Scofield, et al. (1993). A hypothesis for the HLA-B27 immune dysregulation in spondyloarthropathy: contributions from enteric organisms, B27 structure, peptides bound by B27, and convergent evolution. <i>Proc. Natl. Acad. Sci. USA.</i> <u>90</u> (20): 9330-4.
	C74	Hammer, et al. (1990). Spontaneous inflammatory disease in transgenic rats expressing HLA-B27 and human beta 2m: an animal model of HLA-B27-associated human disorders. <i>Cell.</i> <u>63</u> (5): 1099-112.
	C75	Sonis, et al. (1995). <i>Proc. Am. Assoc. Cancer Res.</i> <u>36</u> : 368. (Abstract Only).

* a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, U.S.S.N. _____, filed _____, and relied upon for an earlier filing date under 35 U.S.C. §120 (continuation, continuation-in-part, and divisional applications).

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to applicant.

TRA 1808285v1